

PEDIATRIC INFLAMMATORY MULTI-SYSTEM SYNDROME (PIMS)

PIMS stands for pediatric inflammatory multisystem syndrome. It is a new health condition seen in children who may have been infected with COVID (coronavirus), recovered from it and later develop serious inflammation in their body's organs. PIMS is similar to other conditions like Kawasaki disease and toxic shock syndrome. Children who have PIMS generally did not have obvious symptoms if they were infected with COVID, like cough, and generally were healthy prior to developing PIMS.

WHAT ARE THE SYMPTOMS?

- High fever for 4 or more days
- Abdominal pain without another explanation
- Both eyes appearing pink or red
- Enlarged lymph node ("gland") on one side of the neck
- Fever for seven or more days in an infant, for which no other explanation is identified
- Red, cracked lips or red tongue that looks like a strawberry
- Rash
- Swollen hands and feet, which might also be red

WHAT SHOULD I DO IF MY CHILD/TEEN HAS ANY OF THESE SYMPTOMS?

CALL YOUR CHILD'S DOCTOR FOR ANY OF THE SYMPTOMS LISTED

IF YOUR CHILD IS PALE, LISTLESS, WEAK OR DIZZY

CALL 911

THEY MAY BE EXPERIENCING A MORE SERIOUS ILLNESS.

IS PIMS CONTAGIOUS?

No. PIMS is not contagious. Children with PIMS may have had mild COVID or had no symptoms or signs they had it.

DO YOU NEED TO HAVE ANOTHER HEALTH CONDITION TO GET PIMS?

No. PIMS does not appear to be limited to children who already have another chronic or significant illness that compromises their immune system.

SÍNDROME DE MULTISISTEMA INFLAMATORIO PEDIÁTRICO (SMIP)

SMIP significa síndrome pediátrico multisistémico inflamatorio. Es una nueva condición de salud que se observa en niños que han sido infectados con COVID (coronavirus), se recuperaron de él y luego desarrollan una inflamación grave en los órganos de su cuerpo. PIMS es similar a otras afecciones como la enfermedad de Kawasaki y el síndrome de shock tóxico. Los niños que tienen SMIP generalmente no tenían síntomas obvios cuando estaban infectados con COVID, como tos, y generalmente estaban sanos antes de desarrollar SMIP.

¿CUALES SON LOS SINTOMAS?

- Fiebre alta durante 4 o más días.
- Dolor abdominal sin otra explicación.
- Ambos ojos aparecen rosados o rojos.
- Ganglio linfático agrandado ("glándula") en un lado del cuello
- Fiebre durante siete o más días en un bebé, para lo cual no se identifica ninguna otra explicación
- Labios rojos y agrietados o lengua roja que parece una fresa
- Salpullido
- Manos y pies hinchados, que también pueden estar rojos.

¿QUÉ DEBO HACER SI MI HIJO / ADOLESCENTE TIENE ALGUNO DE ESTOS SÍNTOMAS?

LLAME AL MÉDICO DE SU HIJO PARA CUALQUIERA DE LOS SÍNTOMAS ANTERIORES

SI SU HIJO ES Pálido, débil o mareado

LLAMA AL 911

PUEDEN ESTAR EXPERIMENTANDO UNA ENFERMEDAD GRAVE.

¿Es SMIP CONTAGIOSOS?

No. SMIP no es contagioso. Los niños con SMIP pueden haber tenido COVID leve o no haber tenido síntomas o signos de tenerlo.

¿NECESITA TENER OTRA CONDICIÓN DE SALUD PARA OBTENER SMIP?

No. SMIP no parece estar limitado a niños que ya tienen otra enfermedad crónica o significativa que compromete su sistema inmunológico.